



**UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

117

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/533,906	03/08/00	COLLINS	M 1147-0142
------------	----------	---------	-------------

HM12/1025  
 Finnegan, Henderson, Farabow, Garrett  
 & Dunner, L.L.P.  
 1300 I Street N.W.  
 Washington DC 20005

EXAMINER

JOHANNSEN, D

ART UNIT	PAPER NUMBER
----------	--------------

1655

DATE MAILED:

10/25/00

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner of Patents and Trademarks**

0080E0" 906EES60

Art Unit: 1655

***Communication Regarding Protest***

1. A protest against issuance of a patent based upon this application has been filed under 37 CFR 1.291(a) on August 2, 2000, and a copy has been served on applicant. Any comments or reply applicant desires to file before consideration of the protest must be filed within ONE MONTH or THIRTY DAYS, whichever is longer, of the mailing date of this letter.


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Diana Johannsen whose telephone number is 703/305-0761. The examiner can normally be reached on Monday-Friday from 7:00 a.m. to 3:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, W. Gary Jones, can be reached at 703/308-1152. The fax phone number for the Technology Center where this application or proceeding is assigned is 703/305-3014 or 305-4242.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703/308-0196.

Diana Johannsen

October 12, 2000

  
W. Gary Jones  
Supervisory Patent Examiner  
Technology Center 1600

**Attachment:**

Interview Summary

09533906-03000